| CITA | INFORMATION DISCLOSURE CITATION IN AN APPLICATION | | | | | ATTY, DOCKET NO. 50275-0014 | | | SERIAL NO., 09/675,197 | | |
|------------------------|--|-----------------------------|----------------------------|--------------------------------------|--|--------------------------------|----------------------|--------------------------|----------------------------------|----------|------------|
| 01. 5 | PTO-14 (PTO-14 | 149) | | | | | ŀ | | | | |
| MAR 2 2 200 | <i>551</i> ' | , | | APPLICANT Christophe Pierrat, et al. | | | | | | | |
| MAR TRADENT | | | | | FILING DATE September 29, 2000 GROUP 2873 | | | | | > ગુ | |
| | | U. | S. PATENT | DC | CUMENTS | | | | | | |
| EXAMINER'S INITIALS | PATENT NO. | DATE | | ١ | NAME | CL | ASS | SUBCLA | ss | FILING | DATE |
| VI | ., | 03/14/89 | Witt | | | | | | | | |
| | | 09/24/91 | Ashton, et | | <u> </u> | | 1 | | | <u> </u> | |
| | | 01/26/93 | Harafugi, e | | • | | <u> </u> | _ / | | | |
| | | 08/31/93 | Meiri, et al. | | | | | | | <u> </u> | |
| | 0,010,0 | 09/07/93 | Chen, et al | | | | | | | | |
| | | 10/26/93 | Chen, et al | | | | | | | | |
| | | 05/31/94 | Saito, et al | | | | ! | | <u></u> | | |
| · | <u> </u> | 07/05/94 | Liu, et al. | -X | | <u> </u> | · · · · · · | | , . | L | . 5. 9.2.1 |
| | Tillian del Miller I del 1997 del 1997 Miller I del 1998 del 1997 de Miller I del 1997 de | FOR | EIGN PATE | NT | DOCUMENTS | *** · | ar podrář V licen | 5 0.0 7 1 0.0 A 2 - 1 | 3 25 | Transl | |
| EXAMINER'S INITIALS | PATENT NO. | DAT | E | | COUNTRY | CL | ASS | SUBCLA | SS | Yes | No |
| 25 | WO 00/67074 | 11/09/00 | PC | · | | | | | | | |
| | NATION AND AND AND AND AND AND AND AND AND AN | | W = 1 | | e, Date, Pertinent | | | | | | |
| 3 | Barouch, E., et al 2/22-24/95, SPIE | | | | gorithm for Chrome | and | l Pha | se-Shift N | /lask | Desig | n", |
| | Brunner, T., et al. Optical Microlitho | | | | Resist Processing 96, pp. 198-209. | Effe | cts", 1 | 98/SPIE | Vol. | 2726, | |
| | | | | | ed with Off-Axis Illu al Engineering, Oc | | | | | 10, | |
| | Silicide Photomas Management Tec | sks", Wedne chnical Prog | esday Poste ram, (1997) | r Se , SF | IB Repair of Opaquession Paper 3236- PIE Vol. 3236, pp. 4 | 58, 187~ | Photo 497. | mask Te | chn | ology a | |
| | Fall 1997 Volume | X, No. 3. | | | p Submicron Interc | | | | | | ıes, |
| ر (| Cobb, et al., "Fast Sparse Aerial Image Calculation for OPC", SPIE Vol. 2621, pp. 534-544. | | | | | | | | | | |
| | | | | | nniques for DUV Ph gram, Session 3 P | | | | | | |
| | Ham, Y. M., et al. (1992), pp. 4137- | | nce of Defe | cts | in Optical Lithograp | hy", | Jpn. | J. Appl. F | Phys | . Vol. 3 | 1 |
| EXAMINER | 25 | 14 | | D | ATE CONSIDEREI |) | 3/20 | ry | | | |

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

| | INFORMATION DISCLOSURE CITATION IN AN APPLICATION OIPE (PTO-1449) | | | | | O. | | SERIAL NO., 09/675,197 | |
|------------------------|---|----------------|-------------|---------|---|------------|----------|--|--------------------|
| MAR 22 | wa " | 449) | | | APPLICANT Christophe Pie | rrat, e | t al. | | |
| PERT & TRADE | MARK | | | | FILING DATE September 29, | | | GROUP 2812 2825 | • • |
| | | · U | S. PATE | NT DC | CUMENTS | | | | |
| EXAMINER'S | | DATE | | | IANE | CLAS | 00 | SUDCI ASS | FILING DATE |
| INITIALS | TIALS PATENT NO. DATE N/ 5,340,700 08/23/94 Chen, et al. | | NAME | CLA | 55 T | SUBCLASS | | | |
| - | 5,424,154 | 06/13/95 | Borodov | | · | | \vdash | | |
| | 5,432,714 | 07/11/95 | Chung, e | | | <u> </u> | _ | | |
| | 5,447,810 | 09/05/95 | Chen, et | t al. | | | | | |
| | 5,533,148 | 06/02/96 | Sayah, e | et al. | | | | | |
| | 5,538,815 | 07/23/96 | Oi, et al. | | | | | | |
| | 5,553,273 | 09/03/96 | Liebman | | | 1 | | <u> </u> | |
| | 5,572,598 | 11/05/96 | Wihl, et | | | 1 | | | |
| - \ \ \ \ \ | <u></u> | FOR | EIGN PAT | TENT | DOCUMENTS | 1 | | | >= |
| EXAMINER'S INITIALS | PATENT NO. | DAT | E | | COUNTRY | CLA | SS | SUBCLASS | Translation Yes No |
| W | WO 00/67075 | 11/09/00 | | CT | | ح | | | |
| | | | | | e, Date, Pertinent | - ATT - 12 | * ** A | 26 F 30 F 30 JS F 30 | |
| W | | resist Using t | | | s Imaged Into Thre graphy Simulator", | | | | |
| | Lithography", (19) Paper 3236-13. | 997), Photon | nask Tech | nolog | Disposition for Adva y and Managemen | t Tech | inica | al Program, S | |
| | Photomask Tec Vol. 3236. | hnology and | Managem | ent To | Shift Mask with Imechnical Program, | Session | on 7 | Paper 3236- | 28, SPIE |
| | Semiconductor 33.3.1-33.3.4. | Technology L | _ab., Oki E | Electri | graphy by Phase-S c Industry Co., Ltd. | , CH2 | 865 | -4/90/0000-08 | 325, pp. |
| | VLSI Technolog | y Digest of T | echnical F | Papers | | | | | |
| | Physics, Vol. 30 | , No. 11B, No | ovember, | 1991, | `` | | • | | |
| | Karklin, Linard, 'Vol. 2621, pp. 4 | | ensive Sim | nulatio | n Study of the Pho | tomas | k D | efects Printat | oility", SPIE |
| | Kimura, T., et al Technology", Ga | | | | s Mesfet Process c. 281-284. | Using | Pha | se-Shifting-N | lask |
| EXAMINER | en ! | | \bigcirc | D | ATE CONSIDERE | | Cu | Ч | |

| CITATION | INFORMATION DISCLOSURE CITATION IN AN APPLICATION (PTO-1449) | | | | ATTY. DOCKET NO. 50275-0014 | | | SERIAL NO., 09/675,197 | | | |
|------------------------|---|--|------------------|---------|--|--|--|--|---------|----------|-------------|
| MAR 2 2 20 | ומ ") | , | | | APPLICANT Christophe Pierrat, et al. | | | | | | · · · · · |
| PARADEM! | | | | | FILING DATE September 29, 2000 GROUP 2872 2825 | | | | | | |
| | | U | .S. PATEN | NT DO | CUMENTS | | | | | | |
| EXAMINER'S | DATENT NO | DATE | | | IAME | | ASS | . SUB | CLASS | FILING | DATE |
| INITIALS | 5,631,110 | 05/20/97 | Shioiri, e | | IAME | i | A00 | 3080 | 1000 | - | |
| | 5,657,235 | 08/12/97 | Liebman | | al. | | | 1 | 1 | | |
| | 5,663,893 | 09/02/97 | Wample | | | - | | | 1 | _ | |
| - | 5,702,848 | 12/30/97 | Spence | · | | | | | | | |
| | 5,705,301 | 01/06/98 | Garza, e | t al. | · | | | | | | <u>-</u> |
| | 5,707,765 | 01/13/98 | Chen | | | | | | 1 | 1 | |
| | 5,740,068 | 04/14/98 | Liebman | n, et a | al. | | | | | | |
| | 5,795,688 | 08/18/98 | Burdorf, | | | | | | | | |
| | | FOR | EIGN PAT | TENT | DOCUMENTS | , 2, + . | 4379 | erveg . * | | <u> </u> | |
| EXAMINER'S INITIALS | PATENT NO. | DAT | E | | COUNTRY | CL | ASS | SUBO | CLASS | Yes | No |
| W | WO 00/67076 | 11/09/00 | P | CT | | - | | | | • | • |
| | OTHER | ART (Includi | ing Autho | r, Titl | e, Date, Pertinent | Pag | es, E | tc.) | | | |
| Y | Lithas: Optical F | | | | | | | | | <u>:</u> | |
| , | MicroUnity: OPC | | | | | | | | | <u> </u> | |
| , | | | | | Strategy-Technologion of PMJ'97 on A | | | | | | pp. |
| | | | | | Rule Checker for I gy (1994), pp. 78-9 | | PSN | Appli | cation" | , SPIE | Vol. |
| · | Nistler, J., et al., Hollerbach, Prin | | | | rintability Analysis" NJ, pp. 11-27. | ', Eyt | an Ba | arouch | and U | we | |
| | | • | | | thod for Alternating 31, Part 1, No. 12 | _ | | | | | te |
| | Process Develo Vol. 3236, (1997 | pment Team 7), pp. 350-35 | , Semicon 56. | ducto | rol for a Full Chip s r R&D Center, San | nsun | g Ele | ctronic | s Co, I | Ltd, SP | |
| | Patterns", IEEE pp. 62-74. | Transactions | s on Semic | condu | Aerial Image Com ctor Manufacturing | , Vol | . 10. | No. 1, | Februa | ary 199 | |
| , | | | | | Microlithography: Alo. 9/September 1 | | | | | Mask | |
| | "Proxima Syster | m," Precim C | ompany, F | Portlar | nd, Oregon (2 page | es). | | | | | |
| EXAMINER | كهر | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | \sim | Di | ATE CONSIDERE | D | 300 | υų | | | |

| | INFORMATION DISCLOSURE CITATION IN AN APPLICATION O 1 P E (PTO-1449) | | | | ATTY. DOCKET 6 50275-0014 | SERIAL NO., 09/675,197 | | | | |
|------------------------|---|--------------|----------|----------|------------------------------|---------------------------|---------------|----------|--------|---------------------------------------|
| MAR 22 | MAR 2 2 2001 55 | | | | | errat, et a | l. | | | |
| TRADE | TRADEMARK | | | | | 2000 | GROU -2812 | | -2 | |
| | | U. | S. PAT | ENT DO | CUMENTS | | | | | |
| EXAMINER'S INITIALS | PATÈNT NO. | DATE | | ١ | IAME | CLASS | SUBC | LASS | FILING | DATE |
| W) | 5,801,954 | 09/01/98 | Le, et | al. | | | | | | |
| | 5,804,340 | 09/08/98 | Garza | et al. | | | | | | |
| | 5,815,685 | 09/29/98 | Kamo | 1 | | | <u> </u> | <u> </u> | | |
| | 5,825,647 | 10/20/98 | Tsuda | ka | | | | | | |
| | 5,827,623 | 10/27/98 | Ishida, | et al. | | | Ĭ | | | |
| 1 | 5,847,959 | 12/08/98 | Venek | lasen, e | t al. | | | | | |
| | 5,849,440 | 12/15/98 | Lucas, | et al. | | | | | | |
| | 5,863,682 | 01/26/99 | Abe, e | t al. | | $\Box \Box$ | | | | |
| | 6,081,658 | 06/27/00 | Rieger | , et al. | | | | | | |
| | | FOR | EIGN P | ATENT | DOCUMENTS | | | 7 W S | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| EXAMINER'S INITIALS | PATENT NO. | DAT | E | | COUNTRY | CLASS | SUBC | | Trans | lation |
| 1 | | l | ł | | | I | l | | Yes | No |
| | OTHER / | ART (Includi | ng Auti | or, Titl | e, Date, Pertinen | t Pages, I | Etc.) | 5 1 1 | | |

| | OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | |
|-----------------|---|--|--|--|--|--|
| \mathcal{W} . | "Proxima Wafer Proximity Correction System", Precim Company, Portland, Oregon (2 pages). | | | | | |
| | Rieger, M., et al., "Customizing Proximity Correction for Process-Specific Objectives", Precim Company, (1996), SPIE Vol. 2726, pp. 651-659. | | | | | |
| | Rieger, M., et al., "Mask Fabrication Rules for Proximity-Corrected Patterns", Precim Company, Portland, Oregon. | | | | | |
| | Rieger, M., et al., "Proxima System Theory of Operation", August 23, 1993, pp. 1-20. | | | | | |
| | Rieger, M., et al., "V-Domain Definition", September 8, 1993, pp. 1-7. | | | | | |
| · | Rieger, M., et al., "Using Behavior Modelling for Proximity Correction", Precim Company, SPIE 1994. | | | | | |
| , | Roman, B., et al., "Implications of Device Processing on Photomask CD Requirements", (Motorola Advanced Products Research and Development Laboratory, Austin, TX 78762), Photomask Technology and Management Techical Program, Session 8, Paper 3236-31, page 5 | | | | | |
| , | Spence, C., et al., "Automated Determination of CAD Layout Failures Through Focus: Experiment and Simulation", SPIE Vol. 2197, (1994), pp. 302-313 | | | | | |
| , | Spence, C., et al., "Detection of 60° Phase Defects on Alternating PSMs", Advanced Micro Devices, KLA-Tencor DuPoint TRC. | | | | | |
| J | Stirniman, J., et al., "Fast Proximity Correction with Zone Sampling", SPIE Vol. 2197 (1994), pp. 294-301. | | | | | |
| EXAMINER | DATE CONSIDERED 3/2017 | | | | | |

| INFORMATION DISCLOSURE CITATION IN AN APPLICATION | | | | | | ATTY. DOCKET NO. 50275-0014 | | SERIAL NO., 09/675,197 | | |
|--|--|---|----------------|----------------|---------|---|--------------|---|------------|----------|
| /c | SIPE | (PTO-1 | 449) | | | | | | | |
| | 1AR 22 | 2001 H | | | | APPLICANT Christophe Pier | rrat, et al. | | | |
| REEL | R 20.0 | E MARTE | | | | FILING DATE September 29, 2 | 2000 | GROUP 2832 28 | 25 | |
| U.S. PATENT | | | | | | CUMENTS | | | | |
| | INER'S IALS | | | NAME | CLASS | SUBCLASS | FILING | DATE | | |
| | | <u> </u> | FOR | FIGN PATE | NT | DOCUMENTS | , | <u> </u> | | 5 43 E 4 |
| EXAMIN | NER'S | | | | | | | <u> </u> | Trans | slation |
| INITIA | ALS | PATENT NO. | DAT | Ē | COUNTRY | CLASS | SUBCLASS | Yes | No | |
| | | | | | | | | | | |
| | | | | | - : | e, Date, Pertinent | | a a dia dia katapaka dikabasa kata dibi | 1 181 | www. |
| W |) ' | | | | | orrection for Wafer l nent (1994), pp. 239 | | n Processes | ", SPIE | . Vol. |
| | Stirniman, J., et al., "Spatial Filter Models to Describe IC Lithographic Behavior", Precim Corporation, Portland, Oregon. | | | | | | | | | |
| | • | Photomask, Jan | uary 1994, V | olume 10, Is: | sue | tion and Its Impact e 1, p. 1, 3-7, 10-12 | 2. | | | |
| | , | Inspection Sensi | titivy", Semic | conductor Co | mp | ly of Attenuated Phoany, Sony Corpora | tion, Kan | agawa, Japai | | fying |
| | | | | | | Quality Photomasi | | | | |
| | • | | | | | sing a Dynamically nagement Technica | | | | |
| | | Vacca, A., et al., SPIE Vol. 3236, | | | า U | sing an Existing Im | age Acqu | isition Syster | ท", (19 | 98), |
| | , | | | | | lity of Shifter Defec Vol. 31 (1992) Pt. | | | | |
| | | Wiley, J., et al., " Technology, Lith | | and Reliabil | ity | by Specification of | Mask Det | fects", SolidS | tate | |
| | | Wiley, J., et al., " Reticle Defects", | | | | nation on the Printa . 432-440. | ability of C |)paque and T | ranspa | arent |
| | | SPIE Vol. 1464 I pp. 346-355. | ntegrated Ci | rcuit Metrolog | gy, | ccuracy Requireme Inspection and Pro | ocess Cor | ntrol V (1991) |) , | _ |
| | | | | | | ion of Optical Proxi ic. Sci. Technol. B | | | Iltraviol | et |
| EXAM | INER | NU- | ~ | ę. | D/ | ATE CONSIDERED | 5 51200 | 1 | | |

SHEET 1 OF 4

| | | | | | | SHEET | | | |
|-------------------------------------|--------------|----------|-------------------------|---------------------------|------------|--------------|--|--|--|
| | LATION DISCL | OSURE | ATTY. DOCKET NO. | | SERIAL NO. | | | | |
| (PE) | CITATION | | NTI-019-2 | 0 | 9/675,197 | | | | |
| 4 1 5 2001 S | PTO-1449 | | APPLICANT Pierrat, et a | APPLICANT Pierrat, et al. | | | | | |
| ر الا م | | | FILING DATE 9/29/00 | GROUP 2812 | 2825 | | | | |
| T& TRADEMARK | | U.S. | PATENT DOCUMENTS | | | | | | |
| EXAMINER'S PATENT NO. DATE INITIALS | | NAME | CLAS | SS SUBCLASS | FILING DAT | | | | |
| up | 4,231,811 | 11/4/80 | Somekh, et al. | 148 | 1.5 | 9/13/79 | | | |
| | 4,456,371 | 6/26/84 | Lin | 355 | 71 | 6/30/82 | | | |
| | 4,902,899 | 2/20/90 | Lin, et al. | 250 | 492.1 | 6/1/87 | | | |
| | 5,498,579 | 3/12/96 | Borodovsky, et al. | 437 | 250 | 6/8/94 | | | |
| | 5,553,274 | 9/3/96 | Liebmann | 395 | 500 | 6/6/95 | | | |
| | 5,636,002 | 6/3/97 | Garofalo | 355 | 53 | 10/31/95 | | | |
| | 5,663,017 | 9/2/97 | Schinella, et al. | 430 | 5 | 6/7/95 | | | |
| | 5,663,893 | 9/2/97 | Wampler et al. | 364 | 491 | 5/3/95 | | | |
| | 5,723,233 | 3/3/98 | Garza, et al. | 430 | 5 | 2/27/96 | | | |
| | 5,766,806 | 6/16/98 | Spence | 430 | 5 | 9/9/96 | | | |
| | 5,821,014 | 10/13/98 | Chen, et al. | 430 | 5 | 2/28/97 | | | |
| | 5,862,058 | 1/19/99 | Samuels, et al. | 364 | 491 | 5/16/96 | | | |
| | 5,879,844 | 3/9/99 | Yamamoto, et al. | 430 | 30 | 12/20/96 | | | |
| | 5,885,734 | 3/23/99 | Pierrat, et al. | 430 | 5 | 8/15/96 | | | |
| | 5,900,338 | 5/4/99 | Garza, et al. | 430 | 5 | 8/15/97 | | | |
| | 5,994,002 | 11/30/99 | Matsuoka | 430 | 5 | 9/4/97 | | | |
| | 6,004,702 | 12/21/99 | Lin | 430 | 5 | 5/21/98 | | | |
| | 6,077,310 | 6/20/00 | Yamamoto, et al. | 716 | 19 | 1/29/99 | | | |
| 1 | 6,078,738 | 6/20/00 | Garza, et al. | 395 | 500.22 | 5/8/97 | | | |
| | ' | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | 1 | 1 | | | |

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP § 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

DATE CONSIDERED

3/004



EXAMINER

| INFC | INFORMATION DISCLOSURE | | | ATTY. DOCKET NO. | | | SERIAL NO. | | | | |
|-------------------------------------|--|-----------|---------|-------------------------|---------------------------|-------------|------------|----------|----|--|--|
| | 0 2 | CITATION | OSONE | NTI-019-2 | | 09/675,197 | | | | | |
| 0, | - 2001 | Pg 0-1449 | | APPLICANT Pierrat, et a | APPLICANT Pierrat, et al. | | | | | | |
| | OCT 15 2007 PGT O-1449 OCT 15 2007 PGT O-1449 FORE | | | FILING DATE 9/29/00 | | | OUP 2842 | | | | |
| ENT & T | RADEMA | <u>*</u> | FOR | EIGN PATENT DOCUMENTS | S | | | | | | |
| EXAMINER'S PATENT NO. DATE INITIALS | | COUNTRY | CL | ASS | SUBCLASS | TRANSLATION | | | | | |
| INITIA | LS | | | | | | | YES | NO | | |
| 5 | <u> </u> | 3-210560 | 9/13/91 | JP - ABSTRACT | | | | | | | |
| | | 8-236317 | 9/6/96 | JP-ABSTRACT | | | | □ | | | |
| | | 10-133356 | 5/22/98 | JP - ABSTRACT | | | | Ŋ | | | |
| | | 11-143085 | 5/28/99 | JP - ABSTRACT | | | | Ø | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | - | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| FYAMINI | CD | 7 | | DATE CONSIDERED 4 | 10:02 | | | | | | |

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP § 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| INFORMATION DISCLOSURE | ATTY. DOCKET NO. | SERIAL NO. | | | | | |
|--|---|---------------------------------------|--|--|--|--|--|
| CITATION | NTI-019-2 | 09/675,197 | | | | | |
| O P E YO, TO-1449 | APPLICANT Pierrat, et al. | | | | | | |
| DET 15 2001 \$ | FILING DATE 9/29/00 | GROUP 2825 | | | | | |
| OTHER DOCUMENTS (Ackmann, P. et al., "Phase Sh | Including Author, Title, Date, Pertine | ent Pages, Etc.) | | | | | |
| Ackmann, P. et al., "Phase Sh Devices In Manufacturing For | ifting And Optical Proximity Correction Sub 0.35 µm I-Line", Advance Micro I | | | | | | |
| Asai, N. et al., "Proposal For Jpn. J. Appl. Phys., Vol. 37, p | The Coma Aberration Dependent Overla p. 6718-6722 (1998). | y Error Compensation Technology", | | | | | |
| Chen, J.F. et al., "Full-Chip O Microlithography World (199 | ptical Proximity Correction With Depth 7). | Of Focus Enhancement", | | | | | |
| | cimity Correction For Intermediate-Pitch Systems Engineering, Inc., Sunnyvale, (| | | | | | |
| | Chen, J.F., et al., "Practical Method For Full-Chip Optical Proximity Correction", MicroUnity Systems Engineering, Inc., Sunnyvale, California (14 pages). | | | | | | |
| | Garofalo, J. et al., "Automated Layout Of Mask Assist-Features For Realizing 0.5k ₁ ASIC Lithography", SPIE, Vol. 2440, pp. 302-312 (1995). | | | | | | |
| Garofalo, J. et al., "Automatic (1994). | Proximity Correction For 0.35 μm I-Lin | ne Photolithography", IEEE, pp. 92-94 | | | | | |
| | sted Off-Axis Illumination Technique For 2651-2658, November/December 1993 | | | | | | |
| | endent Alignment Technique For Mix-A nography", J. Vac. Sci. Technol. B, Vol. | | | | | | |
| | Harafuji, K. et al., "A Novel Hierarchical Approach For Proximity Effect Correction In Electron Beam Lithography", IEEE, Vol. 12, No. 10, pp. 1508-1514, October 1993. | | | | | | |
| Lin, B.J., "Methods To Print C Vol. 1264, pp. 2-13 (1990). | Lin, B.J., "Methods To Print Optical Images At Low-k ₁ Factors", SPIE, Optical/Laser Microlithography III, Vol. 1264, pp. 2-13 (1990). | | | | | | |
| | Pierrat, C. et al., "A Rule-Based Approach To E-Beam And Process-Induced Proximity Effect Correction For Phase-Shifting Mask Fabrication", SPIE, Vol. 2194, pp. 298-309 (1994). | | | | | | |
| Precim, "Proxima System", Pr | ecim Company, Portland, Oregon (2 pag | ges). | | | | | |
| EXAMINER > | DATE CONSIDERED 3/2014 | | | | | | |

| INFORMAT | TION DISCLOSURE | ATTY. DOCKET NO. | SERIAL NO. | | | | |
|-------------|---|--|------------------|--|--|--|--|
| | CITATION | NTI-019-2 | 09/675,197 | | | | |
| OIPE | स्0-1449 | APPLICANT Pierrat, et al. | | | | | |
| DET 15 2001 | ICE A | FILING DATE 9/29/00 | GROUP 2872 2825 | | | | |
| PET. S | OTHER DOCUMENTS (| Including Author, Title, Date, Pertine | ent Pages, Etc.) | | | | |
| THADEM | Saleh, B. et al., "Reduction Of Errors Of Microphotographic Reproductions By Optimal Corrections Of Original Masks", <i>Optical Engineering</i> , Vo. 20, No. 5, pp. 781-784, September/October 1981. | | | | | | |
| 2 | Spence, C. et al., "Integration Of Optical Proximity Correction Strategies In Strong Phase Shifters Design For Poly-Gate Layers", <i>Bacus News</i> , Vol. 15, Issue 12, pp. 1, 4-13, December 1999. | | | | | | |
| EXAMINER | mori | DATE CONSIDERED うし | ovy | | | | |

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP § 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE **CITATION** PTO-1449

Atty. Docket No.

Serial No.

NTI-019-2

09/675,197

Applicant

PIERRAT, Christophe

Filing Date

Group

2825

9/29/2000

2812

U.S. PATENT DOCUMENTS

| EXAMINER'S INITIALS | PATENT NO. | DATE | NAME | CLASS | SUBCLASS | FILING DATE |
|------------------------|--------------|------------|------------------------|-------|----------|----------------|
| W | 4,426,584 | 1/17/1984 | Bohlen, et al. | 250 | 492.2 | 6/3/1981 |
| | 4,895,780 | 1/23/1990 | Nissan-Cohen, et al. | 430 | 5 | 10/25/1988 |
| | 5,208,124 | 5/4/1993 | Sporon-Fiedler, et al. | 430 | 5 | 3/19/1991 |
| | 5,682,323 | 10/28/1997 | Pasch, et al. | 364 | 491 | 3/6/1995 |
| | 5,958,635 | 9/28/1999 | Reich, et al. | 430 | 30 | 10/20/1997 |
| | 5,972,541 | 10/26/1999 | Sugasawara, et al. | 430 | 5 | 3/4/1998 |
| | 6,007,310 | 12/28/1999 | Jacobsen, et al. | 417 | 362 | 5/23/1997 |
| | 6,114,071 | 9/5/2000 | Chen, et al. | 430 | 5 | 4/6/1998 |
| | 6,289,499 | 9/11/2001 | Rieger, et al. | 716 | 21 | 1/7/2000 |
| | 6,249,597 B1 | 6/19/2001 | Tsudaka | 382 | 144 | 12/17/1998 |

| EXAMINER: | ZM |
|-----------|----|
|-----------|----|

Date Considered:

3/2004

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP § 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

NTI Use Only: 711; 24; 1

| | | | | SHEET | 2 of 2 |
|----------------------------|------------|------------------------|---------|--------------------------------------|-------------|
| | | Atty. Docket No. | Serial | No. | |
| INFORMATION | DISCLOSURE | NTI-019-2 | 09/ | 675,197 | |
| CITA | | Applicant | | | |
| OIPA | <u>-</u> | PIERRAT, Chris | tophe | | |
| PTO- | 1449 | Filing Date | Group | 20 - 0 | |
| APR 1 5 2002 6 | | 9/29/2000 | -28 | 5 58 52 | |
| APR 1 5 2002 | EO | L REIGN PATENT DOCI | IMPNITO | | |
| PADEMAR | | COUNTRY | CLASS | SUBCLASS | TRANSI ATIO |
| EXAMINER'S PATENT INITIALS | NO. DATE | COUNTRY | CLASS | SUBCLASS | YES N |
| 3-80525 | 4/5/1991 | JP-ABSTRACT | | | छ । |
| 2,324,169 A | 10/14/1998 | GB | | \angle | |
| : WO 99/4798 | 9/23/1999 | wo | | | |
| | | | | | |
| | | | | TECHN | |
| | | | | APR 17 2002 ECHNOLOGY CENTER 2800 | RECEIVED |
| EXAMINER: | 1/\L | → Date Considere | ed: 3/1 | all/d | |

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP § 609; draw line through citation if not in conformance <u>and</u> not considered. Include copy of this form with next communication to applicant.

| | Atty. Dock | et No. | Serial No. | |
|---|---|-------------------------------|----------------------|---|
| INFORMATION DISC | LOSURE NTI-0 | 19-2 | 09/675,197 | |
| CITATION | Applicant | | | |
| 010 | PIERI | RAT, Christophe | | |
| PTO-1449 | Filing Date | G | Froup | |
| PR 1 5 2002 & | 9/29/2 | | 3845- 38172 | |
| <u> </u> | | | | |
| OCH I | CUMENTS (Including A | uthor, Title, Date, P | ertinent Pages | s, Etc.) |
| EXAMINER'S CITATION INITIALS | | | | |
| Choi, Y., et al., "Optical Company (11 pages). | Proximity Correction on Attenuated | Phase Shifting Photo Mask f | or Dense Contact A | rray", LG Semicon |
| Lucas, K., et al., "Model | Based OPC for 1st Generation 193r | m Lithography", Motorola In | ic., IDT assignee to | IMEC (12 pages). |
| Stimiman, J., et al., "Qua Packard Labs (9 pages). | antifying Proximity and Related Effe | cts in Advanced Wafer Proce | esses", Precim Comp | pnay, Hewlett |
| Sugawara, M., et al., "Pr pages). | actical Evaluation of Optical Proxim | ity Effect Correction by EDM | и Methodology", So | ony Corporation (11 |
| Granik, Y., et al., "MEE | F as a Matrix", Mentor Graphics Con | poration (11 pages). | | |
| Kang, D., et al., "Effects | of Mask Bias on the Mask Error Er | hancement Factor (MEEF) o | f Contact Holes" (1 | l pages). |
| Matsuura, S., et al., "Red Mask", NEC Corporation | luction of Mask Error Enhancement n (12 pages). | Factor (MEEF) by the Optim | um Exposure Dose | Self-Adjusted |
| Fu, C.C., et al., "Enhanα 38, No. 12, pp. 2599-260 | ement of Lithographic Patterns by U 13, December 1991. | sing Serif Features", IEEE, T | ransactions On Elec | etron Devices, Vol. |
| Henderson, R., et al., "O (1994). | ptical Proximity Effect Correction: A | An Emerging Technology", M | licrolithography Wo | orld, pp. 6-12 |
| Dolainsky, C., et al., "Ap (1997). | pplication of a Simple Resist Model | o Fast Optical Proximity Con | rrection", SPIE, Vol | . 3051, pp. 774-780 |
| Chen, J., et al., "Full-Chi pages) (1997). | p Optical Proximity Correction with | Depth of Focus Enchancement | ent", Microlithograp | ohy World ,(5 |
| Wong, A., et al., "Lithog | raphic Effects of Mask Critical Dim | ension Error", SPIE, Vol. 333 | 34, pp. 106-115 (199 | 98). |
| | omparison of Mask Writing Tools arturing Conference, pp. 372-377 (199 | | um Devices", IEEE, | SEMI Advanced |
| | | | - | ਜ ਜ ਜ |
| EXAMINER: | Date | e Considered: | | REC APR (|
| EXAMINER: Initial if reference considered MPEP § 609; draw line through citation if copy of this form with next communication | not in conformance and not consider | | | 2007 J. 24; 1 |
| | | | | Name only. 711, 24, 1 Name On one |

AUG D G 2002 15

SHEET L of 2

| A TRADE LESSEE | <u> </u> | | Atty. Docket No. | Serial | | | |
|------------------------|----------------------|------------|--|--------|----------------|------------|-------------------------|
| INFOR | MATION DIS | CLOSURE | NTI-019-2 | 09/ | 675,197 | | |
| | CITATION PTO-1449 | ٧ | Applicant PIERRAT, Chris Filing Date 9/29/2000 | Group | TECHNOLOGY CEN | | RECEIVE |
| | | | U.S. PATENT DOCUM | IENTS | ER | 2002 | $\overline{\mathbf{O}}$ |
| EXAMINER'S INITIALS | PATENT NO. | DATE | NAME | CLASS | SUBCLASS | FILI DA | |
| ~ | 5,991,006 | 11/23/0199 | Tsudaka | 355 | 53 | 10/27/1 | 997 |
| ~S | 6,243,855 BI | 6/5/2001 | Kobayashi, et al. | 716 | 19 | 9/29/19 | 98 |

| EXAMINER: 2000. | Date Considered: | 3/2004 |
|-----------------|------------------|--------|
|-----------------|------------------|--------|

| 101 | REVO |
|-------|-------------|
| AUA 1 | 0 6 2002 \$ |
| PER [| |

SHEET 2 of 1

| | | | : | SHEET | مسكياه |
|------------------------|---|--|----------------------------------|-------------------|--------|
| 3 | | Atty. Docket No. | Serial No. | | |
| MARGINE | MATION DISCLOSURE | NTI-019-2 | 09/675,1 | 97 → | |
| | CITATION | Applicant | | ECH | |
| | PTO 4440 | PIERRAT, Christophe | | NOLOG | RE |
| | PTO-1449 | Filing Date 9/29/2000 | Group 2825 2812 | , 9 20 אי כבאז | CEIVE |
| | OTHER DOCUMENTS | (Including Author, Title, Date | e, Pertinent Pa | ges, Etc.) | d |
| EXAMINER'S INITIALS | CITATION | | | 800 | |
| W | Chuang, H., et al., "Practical Applications Logic Devices", IEEE, pp. 18.7.1-18.7.4, | of 2-D Optical Proximity Corrections for I December 1997. | Enhanced Performan | ce of 0.25um Ra | ndom |

| EXAMINER: 200 | Date Considered: | 3/2004 | |
|---------------|------------------|--------|--|
|---------------|------------------|--------|--|

SHEET 1 of 2

TO THE TOTAL OF TH

PTO-1449

Atty. Docket No.

Serial No.

NTI-019-2

09/675,197

Applicant

PIERRAT, Christophe

Filing Date

Group

9/29/2000

2825

U.S. PATENT DOCUMENTS

| EXAMINER'S INITIALS | PATENT NO. | DATE | NAME | CLASS | SUBCLASS | FILING DATE |
|------------------------|-----------------|------------|-----------------|-------|----------|----------------|
| W | 6,014,456 | 1/11/2000 | Tsudaka | 382 | 144 | 7/15/1996 |
| | 6,154,563 | 11/28/2000 | Tsudaka | 382 | 144 | 12/17/1998 |
| | 6,298,473 B1 | 10/2/2001 | Ono, et al. | 716 | 21 | 12/3/1998 |
| | 6,453,457 B1 | 9/17/2002 | Pierrat, et al. | 716 | 19 | 9/29/2000 |
| | 2002/0100004 A1 | 7/25/2002 | Pierrat, et al. | 716 | 5 | 3/15/2002 |

| EXAMINER: _ | 3/Um | Date Considered: | Thur | |
|-------------|------|------------------|------|--|
|-------------|------|------------------|------|--|



THE ORMATION DISCLOSURE CITATION

PTO-1449

Atty. Docket No.

Serial No.

NTI-019-2

09/675,197

Applicant

PIERRAT, Christophe

Filing Date

Group

9/29/2000

2825

| | OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) |
|------------------------|---|
| EXAMINER'S INITIALS | CITATION |
| 3 | Cobb, N., et al., "Fast, Low-Complexity Mask Design", SPIE, Vol. 2440, pp. 313-327, February 22-24, 1995. |
| { | Cobb, N., et al., "Experimental Results on Optical Proximity Correction With Variable Threshold Resist Model", SPIE, Vol. 3051, pp. 458-468, March 12-14, 1997. |
| | Cobb, N., "Fast Optical and Process Proximity Correction Algorithms for Integrated Circuit Manufacturing", Dissertation, University of California at Berkeley, UMI Microform 9902038 (139 pages). |
| | Toublan, O., et al., "Phase Aware Proximity Correction for Advanced Masks", SPIE, Vol. 4000, pp. 160-170, March 1-3, 2000. |

| EXAMINER | - Muni | Date Considered: | 31007 |
|----------|--------|------------------|-------|
|----------|--------|------------------|-------|